

07/01/2019

GM501 GRADIENT 45% / GM501 GRADIENT 90% SAFETY DATA SHEET GM501 GRADIENT 45% / GM501 GRADIENT 90%

PAGE 1 OF 5

SECTION 1:Identification of the substance/mixture and of the company/undertaking

VALID FROM:

1.1 Product identifier

Product form : Mixture

 Product name
 : GM501 Gradient 45% / GM501 Gradient 90%

 Product code
 : 4 GM 501G-45-XX / 4 GM 501G-90-XX

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Industrial/Professional use spec : For professional use only.

Use of the substance/mixture : GM501 Gradient 45 % and 90 % is a gradient system for semen preparation. GM501 Gradient

45 % and 90 % can be used in combination with IUI, IVF and ICSI.

1.2.2. Uses advised against

No additional information available.

1.3 Details of the supplier of the material safety data sheet

Gynemed GmbH & Co. KG Lübecker Straße 9 D-23738 Lensahn Germany info@gynemed.de

1.4 Emergency telephone number

Emergency number : +49 (0)4363 90 32 90

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable.

2.3 Other hazards

No additional information available.

SECTION 3: Composition/information on ingredients

3.1 Substance

Not applicable

3.2 Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ultrapure water	(CAS No) 7732-18-5 (EC No) 231-791-2	< 60	Not classified
Calcium chloride dihydrate	(CAS No) 10035-04-8	<1	Eye Irrit. 2, H319
Potassium Chloride	(CAS No) 7447-40-7 (EC No) 231-211-8	<1	Not classified
Magnesium Sulphate Heptahydrate	(CAS No) 10034-99-8	<1	Not classified
Sodium Chloride	(CAS No) 7647-14-5 (EC No) 231-598-3	<1	Not classified
Sodium Dihydrogen Phosphate Dihydrate	(CAS No) 13472-35-0	<1	Not classified
Glucose monohydrate	(CAS No) 14431-43-7	< 1	Not classified
Sodium Hydrogen Carbonate	(CAS No) 144-55-8 (EC No) 205-633-7	<1	Not classified
HEPES	(CAS No) 7365-45-9 (EC No) 230-907-9	<1	Not classified
Sodium Pyruvate	(Cas No) 113-24-6 (EC No) 204-024-4	<1	Not classified
Silica Basic Solution	not applicable	45 (Gradient 45 %) 90 (Gradient 90 %)	Not classified



VALID FROM: 07/01/2019

GM501 GRADIENT 45% / GM501 GRADIENT 90% SAFETY DATA SHEET GM501 GRADIENT 45% / GM501 GRADIENT 90%

PAGE 2 OF 5

Phenol Red	(Cas No) 1405-41-0	< 1	Skin Irrit. 2, H315			
			Eye irrit. 2, H319			
			Stot.se 3, H336			
Full text of R- and H-phrases: see section 16						
Comments	-		•			
		produced using animal-origin components. Components have not been in contact with material				
		of animal origin during processing and therefore pose no TSE risk.				

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by

warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water for at least 15 minutes. Obtain medical attention if pain,

blinking or redness persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vormiting. Obtain emergency medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2 Special hazards arising from the substance or mixture

No additional information available.

5.3 Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2 For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2 Environmental precautions

Prevent entry to sewers and public waters.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage.

6.4 Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Incompatible products

7.1 Precautions for safe handling

Precautions for safe handling : Wash Hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapour.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool ventilated place away from direct (sun)light.

Keep container closed when not in use.

Do not freeze.

Do not use after expiry date.

The product can be safely used up to 7 days after opening the container when sterile conditions

are maintained and the products are stored at 2-8°C. Content cannot be resterilized after opening.

Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct (sun)light.

Storage temperature : 2-8°C



VALID FROM: 07/01/2019

GM501 GRADIENT 45% / GM501 GRADIENT 90% SAFETY DATA SHEET GM501 GRADIENT 45% / GM501 GRADIENT 90%

PAGE 3 OF 5

7.3 Specific end use(s)

See instruction for use delivered with the device.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Obtain medical attention if any discomfort should occur.

8.2 Exposure controls

Appropriate engineering controls

: Handle in accordance with good industrial hygiene and safety. Avoid all unncecessary exposure.

Wear fire/flame resistant/retardant clothing

Personal protective equipment

Skin Protection

: Complete suit protecting against chemicals, flame retardant atistatic protective clothing. The type of protection must be selected according to the concentration and volume of the dangerous

substance at the specific workplace.

Hand protection Wear protective gloves. Gloves must be inspected prior to use. Use proper glove removal

technique (Without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands.

The selected protective gloves have to meet the specifications of EU-directive 89/686/EEC and

sthe standard EN374 derived from it.

Eye/Face protection : Face shield and safety glasses. Use equipment for eye protection tested and approved under

appropiate government standards such as NIOSH (US) or EN 166 (EU).

Respiratory protection : Wear appropriate mask. Where risk assessment shows air-purifying respirators are appropriate

use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387)

respirator cartridges us a backup to engineering controls. If the respirato

Other information : Do not eat, drink or smoke during use. Do not pipette liquid using a mouth pipette.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : Liquid
Colour : Red solution
Odour : Odourless
Odour threshold : No data available

pH : 7.20 – 7.60 (release criteria: 7.20-7.60)

Relative evaporation rate (butylacetate=1) No data available No data available Melting point Freezing point No data available No data available **Boiling point** Flash point No data available No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) Non flammable Vapour pressure No data available Relative vapour density at 20°C No data available

Relativ density : Gradient 90%: 1.1050-1.1150 g/ml

Solubility : Highly soluble in water.
Log Pow : No data available
Viscosity : Gradient 90%: < 1.65 cP
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2 Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No additional information available.

10.2 Chemical stability

Mixture

10.3 Possibility of hazardous reactions

Not established.

10.4 Conditions to avoid

Direct (sun)light. Extremely high or low temperatures.

10.5 Incompatible materials

Strong acids. Strong bases.



07/01/2019

VALID FROM:

GM501 GRADIENT 45% / GM501 GRADIENT 90% SAFETY DATA SHEET GM501 GRADIENT 45% / GM501 GRADIENT 90%

PAGE 4 OF 5

10.6 Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity : Not classified.

Extensive data on Sperm Survival Test have demonstrated that the medium is not toxic.

The medium meets the requirements of the ISO 10993-5 guidelines.

Skin/eye/mucosa corrosion/irritation : Not classified

The medium meets the requirements of the ISO 10993-10 guidelines.

Respiratory or skin sensitization : Not classified.

The product has been evaluated for its sensitizing potential by an independent test laboratory using the Kligman maximization test. The medium meets the requirements of the ISO 10993

guidelines.
: Not classified
: Not classified
: Not classified

The

medium meets the requirements of the ISO 10993-11

and ISO 10993-12 guidelines.

Specific target organ toxicity (single exposure) : Not classified.

The product has been evaluated for its biological reaction by an independent test laboratory using the systemic injection test (single dose). The medium meets the requirements of the ISO

L0993 guidelines

Specific target organ toxicity (repeated

exposure)

Not classified

Aspiration hazard :

Potential adverse human health effects and

symptoms

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Germ cell mutagenicity Carcinogenicity

Reproductive toxicity

No additional information available

12.2 Persistence and degradability

GM501 Gradient 90%

Persistence and degradability : Not established

12.3 Bioaccumulative potential

GM501 Gradient 90%

Bioaccumulative potential : Not established

12.4 Mobility in soil

No additional information available

12.5 Results of PBT and vPvB assessment

No additional information available

12.6 Other adverse effects

Avoid release to environment

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology – waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1 UN number

Not regulated for transport

14.2 UN proper shipping name

Proper Shipping Name (ADR) : Not applicable Proper Shipping Name (IMDG) : Not applicable Proper Shipping Name (IATA) : Not applicable Proper Shipping Name (ADN) : Not applicable Proper Shipping Name (RID) : Not applicable

14.3 Transport hazard class(es)

Transport hazard class(es) (ADR) : Not applicable Transport hazard class(es) (IMDG) : Not applicable



07/01/2019

VALID FROM:

GM501 GRADIENT 45% / GM501 GRADIENT 90% SAFETY DATA SHEET GM501 GRADIENT 45% / GM501 GRADIENT 90%

PAGE 5 OF 5

Transport hazard class(es) (IATA) : Not applicable Transport hazard class(es) (ADN) : Not applicable Transport hazard class(es) (RID) : Not applicable

14.4 Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5 Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU-Regulations

No REACH Annex XVII restrictions.

Contains no REACH candidate substance.

15.1.2 National regulations No additional information available.

15.2 Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of

 $16\ \ December\ \ 2008\ \ on\ \ classification,\ labeling\ \ and\ \ packaging\ \ of\ \ substances\ \ and\ \ mixtures,$ amending\ \ and\ \ repealing\ \ Directives\ \ 67/548/EEC\ \ and\ \ 1999/45/EC,\ \ and\ \ amending\ \ Regulation

(EC) No 1907/2006.

Other information : None

Full text of R-, H- and EUH-phrases

Eye Irrit. 2 Serious eye damage/eye irritation, Category 2

H319 Causes serious eye irritation
Skin Irrit. 2, Causes skin irritation, Category 2

H315 Causes skin irritation

Stot.se 3 Specific Target Organ Toxicity Category 3 (transient effects, dizziness, drowsiness)

H336 May cause drowsiness or dizziness

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.